

kimia Pars Pooyesh 05138452342****09153148199****05136045989

*****لیست موجودی انبار*****

| S No | Product Code | Product Name | Code | unit |
|------|--------------|---|--------|--------|
| 1 | Fluka | karl Fischer | 60620 | 1 lit |
| 2 | Romil | Karl Fischer reagent VCK5 Hi-Dry KF | k5235 | 500 ml |
| 3 | Interchem | 1,5-Diphenylcarbazine | 198 | 100 gm |
| 4 | Merck | 1,5-Diphenylcarbazine GR for analysis and redox indicator ACS, Reag. Ph Eur | 103091 | 25 gm |
| 5 | BDH | 4-(4-Nitrophenylazo)-1-naphthol | 13083 | 25 gm |
| 6 | Interchem | 4-(Dimethylamino)benzaldehyde | 1785 | 100 gm |
| 7 | Merck | 4-(Dimethylamino)benzaldehyde | 103058 | 25 gm |
| 8 | Merck | 4-(Dimethylamino)benzaldehyde | 103058 | 100 gm |
| 9 | Interchem | 4-(Dimethylamino)benzaldehyde | 1785 | 100 gm |
| 10 | Interchem | 4-(Dimethylamino)benzaldehyde | 1785 | 1 kg |
| 11 | Merck | 4-(Dimethylamino)benzaldehyde Ehrlich's reagent | 103057 | 500 gm |
| 12 | Merck | 4-(Dimethylamino)benzaldehyde GR for analysis Reag. Ph Eur | 103058 | 1 kg |
| 13 | BDH | 4-(Dimethylamino)benzaldehyde'AnalaR | 10096 | 100 gm |
| 14 | BDH | 4-Amino-3-hydroxynaphthalene-1-sulphonic acid purified CAS Number: 116-63-2 | 27126 | 100 gm |

| | | | | |
|----|------------|--|----------|---------|
| 15 | BDH | Aluminium | 27065 | 500 gm |
| 16 | koch-light | Aluminium hydroxide | 19833 | 1 kg |
| 17 | Riedel | Aluminum nitrate nonahydrate puriss., ≥98% | 11023 | 1 kg |
| 18 | Interchem | Aluminum oxide | 11 | 1 kg |
| 19 | Merck | Ammonium acetate EMPLURA® | 101115 | 5 kg |
| 20 | Merck | Ammonium acetate for analysis EMSURE® ACS,Reag. Ph Eur | 101116 | 1 kg |
| 21 | BDH | Ammonium fluoride 'AnalaR' BDH CAS Number: 12125-01-8 | 100234W | 1 kg |
| 22 | Merck | Ammonium iron(II) sulfate hexahydrate for analysis EMSURE® ISO | 103792 | 1 kg |
| 23 | Merck | Ammonium iron(II) sulfate hexahydrate for analysis EMSURE® ISO | 103792 | 400 gm |
| 24 | Riedel | Ammonium iron(III) sulfate odecahydrate puriss., ≥99% | 12303 | 1 kg |
| 25 | BDH | Ammonium metavanadate GPR | 27186 | 500 gm |
| 26 | Win lab | Ammonium molybdate | 102290 | 25 gm |
| 27 | Interchem | Ammonium nitrate | 1kg open | 350 gm |
| 28 | Win lab | Ammonium persulfate BioUltra, for molecular biology, ≥98.0% (RT) | | 500 gm |
| 29 | Interchem | Ammonium sulfide solution | 352 | 2.5 lit |
| 30 | BDH | Ammonium sulphate 'AnalaR | 100334C | 1 kg |
| 31 | Merck | Ammonium thiocyanate for analysis EMSURE® ACS,ISO,Reag. Ph Eur | 101213 | 250 gm |
| 32 | Merck | Ammonium thiocyanate powder CAS Number: 1762-95-4 | 101212 | 1 kg |

| | | | | |
|----|------------|--|---------|---------|
| 33 | Riedel | Ammonium thiocyanate for analysis Ph Eur puriss. p.a. ≥99.0% (AT) | 31120 | 250 gm |
| 34 | | Ammonium thiocyanate solution | | 2.5 lit |
| 35 | BDH | Ammonium thiocyanate solution for 500 ml, c(NH ₄ SCN) = 0.1 mol/l (0.1 N) Titrisol® | 18003 | 6 AMP |
| 36 | Merck | Barium acetate | 1.01704 | 500 g |
| 37 | Riedel | Barium acetate puriss. p.a., ACS reagent, ≥99% CAS Number 543-80-6 | 32305 | 1 kg |
| 38 | koch-light | Barium hydroxide | 1689 | 1 kg |
| 39 | Merck | Barium hydroxide octahydrate | 1.01737 | 500 g |
| 40 | BDH | Benzene crystallizable GPR | 27315 | 2.5 lit |
| 41 | BDH | Bismuth(III) nitrate | 10057 | 250 gm |
| 42 | Merck | Bismuth(III) nitrate pentahydrate ACS reagent, ≥98.0% | 101860 | 1 kg |
| 43 | Merck | Bismuth(III) nitrate pentahydrate ACS reagent, ≥98.0% | 101860 | 250 gm |
| 44 | Merck | Boric acid for analysis EMSURE® ACS,ISO,Reag. Ph Eur | 100165 | 500 gm |
| 45 | Merck | Bromocresol green | 108121 | 5 gm |
| 46 | Merck | Bromocresol green | 108121 | 25 gm |
| 47 | Merck | Bromophenol blue | 108122 | 25 gm |
| 48 | Interchem | Bromothymol blue | | 250 gm |
| 49 | Merck | Bromothymol blue indicator ACS,Reag. Ph Eur | 103026 | 25 gm |
| 50 | BDH | Brucine GPR | 13019 | 100 gm |

| | | | | |
|----|-----------|---|--------|-------------|
| 51 | BDH | Buffer tablets 'Gurr' pH approximately 9.2 | 33197 | box 12 unit |
| 52 | ubichem | Cadmium acetate | 295 | 500 gm |
| 53 | Open | Cadmium acetate | | 1 kg |
| 54 | BDH | Cadmium acetate 'AnalaR' | 10063 | 500 gm |
| 55 | Merck | Cadmium sulfate 8/3-hydrate puriss. p.a., ACS reagent, ≥99.0% (calc. based on CdSO ₄ | 102026 | 500 gm |
| 56 | Aldrich | Cadmium sulfate hydrate ACS reagent, ≥98% | 255513 | 500 gm |
| 57 | Merck | Calcium chloride dihydrate | 102385 | 1 kg |
| 58 | BDH | Calcium hardness indicator tablets for hardness of water determination | 16021 | each |
| 59 | BDH | Calcon® (mordant black 17) indicator for metal titration (C.I.15705) | 13120 | 100 gm |
| 60 | Fluka | Carbon disulfide | 84712 | 1 lit |
| 61 | Univar | Carbon disulfide | 141 | 500 ml |
| 62 | Ferak | Carbon tetrachloride | 1503 | 2.5 lit |
| 63 | BDH | Carbon tetrachloride | | 2.5 lit |
| 64 | Interchem | Carbon tetrachloride | | 2.5 lit |
| 65 | BDH | Carborundum | 33025 | 500 gm |
| 66 | Merck | Chloroacetic acid | 800412 | 1 kg |
| 67 | Merck | Chromium(III) nitrate nonahydrate for analysis EMSU | 102481 | 250 gm |
| 68 | Interchem | Citric acid | | 1 kg |

| | | | | |
|----|------------|---|--------|---------|
| 69 | Merck | Citric acid monohydrate | 100242 | 5 kg |
| 70 | Merck | CombiTitrant "Karl Fischer | 109243 | 1.5 lit |
| 71 | Riedel | Copper(I) chloride purum, ≥97.0% (manganometric) | 12822 | 1 kg |
| 72 | Riedel | Copper(I) chloride purum, ≥97.0% (manganometric) | 12822 | 500 gm |
| 73 | Riedel | Copper(II) chloride dihydrate technical, ≥98% (complexometric) | 12827 | 500 gm |
| 74 | BDH | Diethylamine GPR | 28120 | 2.5 lit |
| 75 | BDH | Dimethylglyoxime 'AnalaR | 10098 | 250 gm |
| 76 | Merck | di-Phosphorus pentoxide extra pure | 100540 | 1 kg |
| 77 | BDH | di-Potassium disulphite 'AnalaR' (potassium metabisulphite) | 10213 | 500 gm |
| 78 | koch-light | di-Potassium hydrogen phosphate | 1648 | 500 gm |
| 79 | Merck | di-Potassium hydrogen phosphate anhydrous for analysis EMSURE® | 105100 | 1 kg |
| 80 | Merck | di-Sodium hydrogen phosphate anhydrous Ph Eur,BP,USP,JPE,E 339 | 106585 | 5 kg |
| 81 | Merck | di-Sodium tetraborate decahydrate EMPROVE® ESSENTIAL Ph Eur,BP,JP,NF | 106303 | 1 kg |
| 82 | Riedel | Dithizone puriss. p.a., Reag. Ph. Eur., ≥98% (chelatometric), for metal titration | 33154 | 100 gm |
| 83 | BDH | Eriochrome black T Solochrome black c.I.14645 | 16032 | 100 gm |
| 84 | Interchem | Eriochrome black T (C.I. 14645) | 9023 | 1 kg |
| 85 | BDH | Ethenediol GPR | 28296 | 2.5 lit |
| 86 | Merck | Formaldehyde solution about 37% | 104002 | 5 lit |

| | | | | |
|-----|------------|--|--------|---------|
| 87 | Merck | Formic acid 98-100% | 100263 | 2.5 lit |
| 88 | Interchem | Gallic acid (3,4,5-Trihydroxybenzoic acid) | 310182 | 1 kg |
| 89 | Interchem | glucose | 265 | 1 kg |
| 90 | Interchem | Gum arabic Acasia | 2001 | 500 gm |
| 91 | koch-light | Hematoxylin cryst. (C.I. 75290) | 13975 | 100 gm |
| 92 | Fluka | HYDRANAL™ - Coulomat AD Anolyte for coulometric Karl Fischer titration (methanol-based), preferred for cells without diaphragm | 34810 | 100 ml |
| 93 | Interchem | Hydrazine hydrate | 291 | 1 lit |
| 94 | Interchem | Hydrazinium chloride(Hydrazine monohydrochloride) | 334 | 1 kg |
| 95 | Fluka | Hydrochloric acid puriss. p.a., ACS reagent, fuming, ≥37% (T) | 84422 | 1 lit |
| 96 | Merck | Hydrofluoric acid | 100329 | 2.5 lit |
| 97 | Merck | Hydrogen peroxide 30% stabilized EMPROVE® ESSENTIAL Ph Eur,BP,USP | 108597 | 2.5 lit |
| 98 | Interchem | Hydroquinone | | 1 kg |
| 99 | BDH | Iodine indicator BDH | 20054 | 100 gm |
| 100 | Merck | Iron(II) sulfate heptahydrate | 103965 | 100 gm |
| 101 | Merck | Iron(II) sulfate heptahydrate cryst., EMPROVE® ESSENTIAL Ph Eur,BP,USP,FCC | 103963 | 5 kg |
| 102 | BDH | Iron(III) oxide (ferric oxide) | 28387 | 500 gm |
| 103 | BDH | iso-Amyl alcohol 'AnalaR' | 10038 | 2.5 lit |
| 104 | Merck | Lead(II) acetate trihydrate ACS reagent, ≥99% | 107372 | 1 kg |

| | | | | |
|-----|-------------------|--|--------|--------|
| 105 | BDH | Lead(II) chloride powder, 98% | 29025 | 500 gm |
| 106 | Interchem | Lead(II) nitrate ACS reagent, ≥99.0% | | 1 kg |
| 107 | Interchem | Lead(II) oxide | 371 | 1 kg |
| 108 | BDH | Magnesium coarse powder | 29085 | 500 gm |
| 109 | Merck | Magnesium sulfate heptahydrate EMPROVE® ESSENTIAL Ph Eur,BP,USP,JP | 105882 | 2.5 kg |
| 110 | Riedel | Manganese(II) sulfate monohydrate 96% | 13255 | 5 kg |
| 111 | Merck | Manganese(II) sulfate tetrahydrate | 5959 | 1 kg |
| 112 | BDH | Mercury 'AnalaR' | 10157 | 500 gm |
| 113 | Interchem | Mercury(II) chloride | | 1 kg |
| 114 | mallinckrodt | Mercury(II) chloride | 1420 | 500 gm |
| 115 | Riedel | Mercury(II) oxide | 10622 | 100 gm |
| 116 | Interchem | Mercury(II) sulfate | 4431 | 1 kg |
| 117 | Merck | Mercury(II) sulfate EMPLURA® | 104481 | 250 gm |
| 118 | Merck | Mercury(II) sulfate for analysis EMSURE® ACS | 104480 | 100 gm |
| 119 | Merck | Mercury(II) thiocyanate for analysis EMSURE® Reag. Ph Eur | 104484 | 25 gm |
| 120 | fisher scientific | Metaphosphoric Acid | A-280 | 3 KG |
| 121 | Interchem | Methyl orange (C.I. 13025) | 9037 | 1 kg |
| 122 | Win lab | Methyl orange (C.I. 13025) | 221523 | 25 gm |

| | | | | |
|-----|------------|--|--------|---------|
| 123 | BDH | Methyl Orange-Xylene Cyanol, Indicator Solution | 21021 | 500 ml |
| 124 | Aldrich | Methyl Purple | 277339 | 1 lit |
| 125 | BDH | Methyl Purple | 21083 | 250 ml |
| 126 | Interchem | Methyl red (C.I. 13020) CAS Number: 493-52-7 | 9041 | 1 kg |
| 127 | BDH | Methylene blue 'Gurr' 'Certistain' for staining and reagent for molybd | 34048 | 25 gm |
| 128 | BDH | Molybdic acid GPR | 29270 | 500 gm |
| 129 | Merck | Murexide | 106161 | 25 gm |
| 130 | BDH | Murexide (ammonium purpurate) | 27197 | 25 gm |
| 131 | Interchem | Murexide (ammonium purpurate) | | 25 gm |
| 132 | BDH | Murexide (ammonium purpurate) | 27197 | 250 gm |
| 133 | Merck | N,N'-Diethylthiourea for synthesis | 803520 | 250 gm |
| 134 | koch-light | Nickel(II) sulfate | 95597 | 1 kg |
| 135 | Merck | Nickel(II) sulfate hexahydrate for analysis EMSURE® ACS | 106727 | 250 g |
| 136 | Merck | Nitric acid 69% for analysis EMSURE® ACS, Reag. Ph Eur | 101799 | 2.5 lit |
| 137 | Aldrich | Nitric acid ACS reagent, 70% | 258113 | 6X500G |
| 138 | Riedel | Nitrobenzene | 15823 | 1 lit |
| 139 | BDH | Orthophosphoric acid 'AnalaR' | 10173 | 2.5 lit |
| 140 | sigma | o-Tolidine practical grade | T3501 | 1 kg |

| | | | | |
|-----|------------|--|--------|---------|
| 141 | BDH | o-Tolidine reagent for determination of chlorine in water | 16036 | 2.5 lit |
| 142 | Merck | o-Toluidine for synthesis | 808312 | 2.5 lit |
| 143 | Merck | o-Toluidine for synthesis | 808312 | 1 lit |
| 144 | Interchem | phenol | 583 | 1 lit |
| 145 | BDH | Phenol red solution pH-indicator | 21030 | 100 ml |
| 146 | Interchem | Phenolphthalein | 9046 | 1 kg |
| 147 | Win lab | Phenolphthalein | 251709 | 10 gm |
| 148 | Aldrich | Phosphoric acid ACS reagent, ≥85 wt. % in H2O | 215104 | 1 lit |
| 149 | Merck | Potassium bromate for analysis (max 0,000001% Hg) ACS,ISO,Reag. Ph Eur | 104912 | 1 kg |
| 150 | Interchem | Potassium bromide | 622 | 500 gm |
| 151 | Merck | Potassium carbonate for analysis EMSURE® ACS,ISO,Reag. Ph Eur | 104928 | 500 gm |
| 152 | koch-light | Potassium carbonate puriss. p.a., ACS reagent, anhydrous, ≥99.0% | 4606 | 1 kg |
| 153 | Merck | Potassium chlorate for analysis EMSURE® ACS,Reag. Ph Eur | 104942 | 1 kg |
| 154 | koch-light | Potassium chromate | 16689 | 1 kg |
| 155 | Interchem | Potassium chromate | 631 | 500 gm |
| 156 | Win lab | Potassium chromate | | 500 gm |
| 157 | Merck | Potassium chromate for analysis EMSURE® ACS,Reag. Ph Eur | 104952 | 1 kg |
| 158 | BDH | Potassium chromate 'AnalaR' | 10199 | 500 gm |

| | | | | |
|-----|------------|--|--------|--------|
| 159 | koch-light | Potassium cyanide | 1829 | 1 kg |
| 160 | Merck | Potassium cyanide for analysis EMSURE® ACS,ISO,Reag. Ph Eur | 104967 | 250 gm |
| 161 | Merck | Potassium cyanide for analysis EMSURE® ACS,ISO,Reag. Ph Eur | 104967 | 100 gm |
| 162 | koch-light | Potassium dichromate | 16734 | 1 kg |
| 163 | Interchem | Potassium dihydrogen phosphate | | 1 kg |
| 164 | Merck | Potassium dihydrogen phosphate cryst., EMPROVE® ESSENTIAL Ph Eur,BP,JPC,NF | 104871 | 1 kg |
| 165 | koch-light | Potassium hexacyanoferrate(II) trihydrate | 16735 | 250 gm |
| 166 | Riedel | Potassium hydrogen carbonate MPROVE® ESSENTIAL Ph Eur,BP,USP,FCC,E 501 | 12602 | 5 kg |
| 167 | Riedel | Potassium hydrogen carbonate MPROVE® ESSENTIAL Ph Eur,BP,USP,FCC,E 501 | 12602 | 5 kg |
| 168 | koch-light | Potassium iodate | 97389 | 500 gm |
| 169 | Win lab | Potassium iodate | 252437 | 500 gm |
| 170 | BDH | Potassium iodate 'AnalaR' | 10211 | 500 gm |
| 171 | Riedel | Potassium iodate Analytical Reagent 99.7% | 30314 | 250 gm |
| 172 | Merck | Potassium nitrate EMPROVE® ESSENTIAL Ph Eur,BP,USP,FCC,E 252 | 105061 | 1 kg |
| 173 | Riedel | Potassium nitrate technical ,with addition of anti caking agent | 12651 | 1 kg |
| 174 | Interchem | Potassium permanganate | 677 | 1 kg |
| 175 | Merck | Potassium permanganate for analysis EMSURE® ACS,Reag. Ph Eur | 105082 | 1 kg |
| 176 | Interchem | Potassium sodium tartrate tetrahydrate | 682 | 1 kg |

| | | | | |
|-----|-----------|---|--------|--------|
| 177 | Interchem | Potassium sulfate | 686 | 1 kg |
| 178 | Riedel | Potassium sulfate puriss., ≥99% (calc. to the dried substance), powder (fine) | 12659 | 1 kg |
| 179 | Interchem | Potassium thiocyanate | | 1 kg |
| 180 | Merck | Pyridine EMPLURA® | 107462 | 1 lit |
| 181 | BDH | Pyrogallol 'AnalaR' (1,2, 3-trihydroxybenzene) | 10226 | 500 gm |
| 182 | BDH | Pyrogallol GPR (1,2,3-trihydroxybenzene) | 29715 | 500 gm |
| 183 | BDH | Quinol 'AnalaR' (1,4-dihydroxybenzene) | 10312 | 500 gm |
| 184 | | resin | | 1 kg |
| 185 | Degussa | Silver Nitrate 500g Made in Germany BP/EP Spec .999 Purity | | 500 gm |
| 186 | Interchem | silver nitrate | 759 | 500 gm |
| 187 | Riedel | Silver nitrate puriss. p.a., ACS reagent, reag. ISO, reag. Ph. Eur., ≥99.8% | 10220 | 1 kg |
| 188 | Riedel | Silver nitrate puriss. p.a., ACS reagent, reag. ISO, reag. Ph. Eur., ≥99.8% | 10220 | 500 gm |
| 189 | Riedel | Silver nitrate puriss. p.a., ACS reagent, reag. ISO, reag. Ph. Eur., ≥99.8% | 31630 | 500 gm |
| 190 | Riedel | Silver nitrate puriss. p.a., ACS reagent, reag. ISO, reag. Ph. Eur., ≥99.8% | 31630 | 250 gm |
| 191 | Win lab | Sodium acetate | 282402 | 250 gm |
| 192 | Interchem | Sodium acetate | 56 | 250 gm |
| 193 | BDH | Sodium acetate 3-hydrate GPR (sodium acetate trihydrate) | 30103 | 1 kg |
| 194 | Merck | Sodium acetate trihydrate extra pure Ph Eur,BP,JP,USP,FCC,E 262 | 106265 | 1 kg |

| | | | | |
|-----|----------|--|--------|---------|
| 195 | Riedel | Sodium acetate trihydrate puriss. p.a., ACS ., ≥99.5% | 32318 | 500 gm |
| 196 | Fluka | Sodium acetate trihydrate purum p.a., ≥99.0% (NT) | 71193 | 1 kg |
| 197 | Riedel | Sodium bicarbonate analytical of Ph. Eur., BP, USP99.0-100.5%, powder | 13433 | 5 kg |
| 198 | Riedel | Sodium carbonate decahydrate analytical EMPROVE® Ph Eur, BP 99.5-100.5% | 13414 | 2.5 kg |
| 199 | Riedel | Sodium carbonate decahydrate analytical EMPROVE® Ph Eur, BP 99.5-100.5% | 13414 | 1 kg |
| 200 | BDH | Sodium dichromate GPR | 30130 | 3 kg |
| 201 | jt baker | Sodium dihydrogen phosphate monohydrate 98.0-103.0% (by anhydrous basis), crystals USP, FCC, J.T | | 2260 gm |
| 202 | Merck | Sodium disulfite (sodium metabisulfite) EMPROVE® ESSENTIAL Ph Eur, BP, JP, NF, | 106357 | 500 gm |
| 203 | Merck | Sodium disulfite (sodium metabisulfite) EMPROVE® ESSENTIAL Ph Eur, BP, JP, NF, | 106657 | 5 kg |
| 204 | Riedel | Sodium molybdate dihydrate meets analytical specification of dab extra pure 99-100.5 | 13315 | 2.5 kg |
| 205 | Riedel | Sodium nitrate cryst. EMPLURA® | 13444 | 5KG |
| 206 | Merck | Sodium nitrate cryst. EMPLURA® CAS Number: 7631-99-4 | 106535 | 1 kg |
| 207 | Merck | Sodium silicate solution extra pure | 105621 | 5 lit |
| 208 | Riedel | Sodium sulfate technical, anhydrous, ≥99% | 13462 | 5 kg |
| 209 | Merck | Sodium sulfate anhydrous fine powder EMPROVE® ESSENTIAL Ph Eur, BP, JPE, USP | 106633 | 2.5 kg |
| 210 | Riedel | Sodium sulfide hydrate ≥60%, scales | 13468 | 5 kg |
| 211 | Merck | Sodium sulfide nonahydrate | 106636 | 1 kg |
| 212 | BDH | sodium sulfite | 29862 | 500 gm |

| | | | | |
|-----|-----------|--|---------|---------|
| 213 | Interchem | Sodium sulfite anhydrous | 8805 | 1 kg |
| 214 | Merck | Sodium sulfite anhydrous for analysis EMSURE® Reag. Ph Eur | 106657 | 5 kg |
| 215 | Fluka | Thioglycolic acid | 60280 | 1 lit |
| 216 | Win lab | Thioglycolic acid | | 100 ml |
| 217 | Interchem | Thioglycolic acid (Mercaptoacetic acid) | 433 | 100 ml |
| 218 | Merck | Tin(II) chloride dihydrate EMPROVE® ESSENTIAL Ph Eur,BP,JPE | 107813 | 1 kg |
| 219 | Riedel | Tin(II) chloride dihydrate puriss. p.a., ACS reagent, ≥98.0% (RT) | 14517 | 1 kg |
| 220 | BDH | Tin(IV) chloride 5-hydrate GPR (stannic chloride) | 30247 | 500 gm |
| 221 | Merck | Titriplex® III (ethylenedinitrilotetraacetic acid disodium salt dihydrate) | 108418 | 1 kg |
| 222 | Interchem | Trichloroethylene | | 2.5 lit |
| 223 | BDH | Triethylamine GPR | 30502 | 2.5 LIT |
| 224 | BDH | Xylene Cyanol FF (Acid blue 147, Cyanol FF, XC) CAS Number: 2650-17-1 | 20123 | 25 gm |
| 225 | Merck | Zinc acetate dihydrate EMPROVE® ESSENTIAL Ph Eur,USP | 108800 | 1 kg |
| 226 | Merck | Zinc acetate dihydrate for analysis EMSURE® ACS | 1.08802 | 1 kg |
| 227 | BDH | zinc granules/pellets (3-8mm) GPR | 30598 | 1 kg |
| 228 | BDH | Zinc powder GPR | 30596 | 1 kg |
| 229 | Merck | Zinc sulfate heptahydrate EMPROVE® ESSENTIAL Ph Eur,BP,JP,USP,FCC | 108881 | 1 kg |
| 230 | Grace | SILICA GEL WHITE 3-5MM Granuler SOYLOBEAD SG125 | SG125 | 1 kg |